

175-175

c 1782
G.

NO 3

Remarks

on

Mercury

by

David Hunter

of

Virginia

Passed March 30th

1824

W. S. H.

Dean

Ubi qui potuit medium cognoscere tutum.

1847
C.

Remarks

History

of
the
State of
Virginia

1847

the first volume of the series

perhaps
line
Medica
in so ge
important
concent
numerous
pieces is
exception
in some
been for
before it
were no
Medicines
two table
in the
culian
as some
are be
rivalled

Perhaps there is not an individual medicine in the whole range of the Materia Medica, that is so extensively used, or so greatly abused, & answers so many important purposes, in its various combinations as Mercury. Among the numerous diseases, to which the human species is subject, there is scarcely an exception in which this medicine, in some one shape or other, has not been found serviceable; & many which before its introduction into practice, were ranked among the opprobria Medicorum, have since become quite tractable under its influence.

In the cure of several maladies peculiar to Tropical climates, as well as some to which we ourselves are liable, it not only stands unrivalled, but is a sine qua non.

nocturnal
& partial
to bring
activated
times, &
her thro
partic
-playm

metal,
-ed form
mean's
usually
down, &
melted
perfect
white;
in the
hardly
combined

notwithstanding the many abortive
 & futile attempts, that have been made
 to bring it into disrepute, by a few
 actuated doubtless by laudable mo-
 tives, but by far the greater num-
 ber through ignorance & prejudice,
 particularly as it regards its em-
 ployment in syphilitic affections.

Mercury or quicksilver is a
 metal, existing naturally in a flu-
 id form, but can by artificial
 means be rendered solid, as it is
 usually seen, of a grey opaque co-
 lour, resembling in appearance
 melted tin, or lead; but when
 perfectly pure, of a bright
 white; it is met with imbedded
 in the earth, sometimes though
 rarely in virgin state, but generally
 combined with foreign substances,

What part

X

4 per
the pro
thru
part of
mies
Spain
it wh
was p
certain
of ances
to have
a p
with
isoterm
bed to
homer
day, w
at tha
on card
is the po

It perhaps of tenor with sulphur, under the form of native cinnabar, than any other, It is found in almost every part of the world, The principal mines however are those of Germany Spain, & Peru.

At what particular period mercury was first discovered, we have no certain knowledge. The physicians of ancient Greece & Rome, are said to have been acquainted with it, only as a poison too dangerous to meddle with. The credit of having first used it in the cure of disease is ascribed to the Arabian's, a people who however degenerate at the present day, were probably more enlightened at that period, than any nation on earth. They employed it externally in the form of ointment in various

entire
of the
but the
income
city, for
quences
tohibito
five par
operatio
discrea
some time
Europe,
latter e
a safe
mitted
In the
trial
was o
the mo
annual

in various operations. Large doses were
 administered even in the crude state,
 but like most other metals when
 uncombined it acted only by its gra-
 duity, producing no detriments or
 injuries, to which practice succeeded
 the addition of certain, than uncombined
 preparations, more powerful in their
 operation, & more effectual in checking
 disease. It was not however until
 some time after its introduction into
 Europe, which is dated about the
 latter end of the 15th century, extended
 a safe medicine, as regularly ad-
 ministered into the Mexican Medicine.
 In the fourteenth century its con-
 trol over the Venereal virus
 was discovered which is probably
 the most important discovery the
 annals of Medical Science afford.

[illegible]

The introduction of the microscope, from its first introduction into medicine, a few years has been extremely circulating. Its curative qualities are so highly estimated at the present day, when judiciously limited, as likely to deserve the appellation in which it was designated, by one of its earliest advocates, of, *Minabitis et cetera medicina*.

The most usual effects of Mercury when introduced into the human system, are, an increased action of the heart & Arteries, together with an increase of the secretions & excretions in general. Its action is sometimes directed to one part, sometimes to another, & often to every part, depending in a great measure upon the quantity & quality exhibited.

To render
any of
the
two
times
in
a
month
between
June
and
the
end
of
the
year
in
the
month
of
January
in
the
month
of
February
in
the
month
of
March
in
the
month
of
April
in
the
month
of
May
in
the
month
of
June
in
the
month
of
July
in
the
month
of
August
in
the
month
of
September
in
the
month
of
October
in
the
month
of
November
in
the
month
of
December

The sensible effects are however more im-
mediately exerted upon the salivary glands
of the mouth, than upon any other
parts, mercurial ptyalism or salivation
being a local symptom characterised
in short, a metallic taste in the mouth
a loosening of the gums which
assume a whitish & stringy ap-
pearance, a very frequent hoarseness
of the breath, an increased secretion
of saliva & very frequently small
ulcers in various parts of the mouth
sometimes with some degree of inflammation
throughout the whole body; The sys-
tem is then said to be mercurialized
Such are the most usual effects
of mercury, when cautiously intro-
duced & kept off; on three seasons,
which commonly disappears in a
few weeks without leaving the least

any
const
3
after
it
in
a
in
after
degre
in
ye
s
to
of
or
will
in
effects
been

any permanent derangement of the constitution. If however it be pushed to a greater extent, by continuing after the above has taken place, or if it be administered in too large or repeated doses, a train of very alarming & distressing symptoms will occur; the tongue, gums, lips, cheeks, &c. swell to a frightful degree, extensive ulcerations form in every part of the mouth. the gums bleed profusely, the teeth become loose, black, & occasionally fall out, the jaws mortify, slough off, with debility & emaciation of every part, which continue until death closes the scene. & in other cases where the pernicious effects of the medicine, have not been carried quite so far, it not

unfrequent
it is
of course
a new
manic
in a
twelve
to ch
at the
time
the o
of so
quod
to have
then
from
so old
all
-log
linote

unfrequently incapacitates the subject of it, from enjoying any degree of comfort during life. I know a young lady whose mouth from inordinate doses of calomel taken in a bilious fever, was so much twisted to one side, as entirely to change her features; & who at the present day (which is twelve or eighteen months since the attack) is under the necessity of separating her jaws by means of wedges, sometime previous to taking her meals; & also another young lady, whose tongue from the same cause, adheres so closely to the adjacent parts altering her voice to such a degree, that she can be but indistinctly understood, by her

most in
one of
many fl.
the w
of 1000
in 1811
from 18
as far
lengthy
and 107
linear
over 12
leaves,
afforded
several
pairs of
the main
or erect
the wh

most intimate acquaintance. In both of the above cases, large & frequent doses of Calomel have been administered; & the common symptoms in the section of consulting physicians, under such circumstances of mercurial action, at the same, time, present. An effect from even doses of the same, which is as far as I am acquainted has slightly mentioned by authors on the subject, it is produced by redness & tumefaction of the gums, in violent cases 12 or 16 ounces of blood are discharged, in the twenty four hours, attended with a comparative small secretion of saliva, but intolerable taste of the breath; the pulse in the mean time is full & variable, indicating great derangement of the whole system. There is also

another
the above
mentioned
man by
each
none of
they
you
to find
first.
Wilson
a
several
observed
scripted
called
they
London
have been
and now

another effect which often accompanies the above, & which I have never seen mentioned as induced by mercury, namely a species of Itch, or small black circumscribed spots, answering none of the eruptions described by Alley, Spens, Person &c; appearing most generally on the superior parts of the body, but occasionally on every part. The same is mentioned by Wilson Phillips in his work on fever as occurring in the plague, as well as several other diseases of virulency. He observes that it is this particular eruption, which by some has been called tokens, or God's tokens, & that they are regarded as a very fatal symptom; those which I have seen have been invariable tokens of death, as I never knew an instance of recovery

1840
 1841
 1842
 1843
 1844
 1845
 1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900

after their application. It may be
as well to mention, that the common
venereal fever of Berkeley County is
the disease, in which I have noticed
them; & that they are produced by
mercury is evident from the fact,
that they only occurred where a great
deal of that medicine had been given.
Not an uncommon consequence arising
from mercury is a disordered
venereal complaint, occasionally accom-
panied with discharges of blood,
whether the medicine be given, either
extensively or intermittently. In some of
superficial under such circumstances
is very troublesome. There are indeed
nearly as many diseases either real
or imaginary enumerated as arising
from the action of this medicine, as
those in which it is employed. To

are:
 1. The
 of inf
 omis
 stance
 of inv
 a henc
 are to
 at a s
 calan
 but all
 a Bar
 styled
 have in
 which
 cross
 Mary
 next
 when

cure; among which may be reckoned
 dropsy, hæmorrhæ, paralysis, nearly
 all the terminations of the first stage
 of inflammation: such as the thick-
 ening & adhesions of various mem-
 branes, most of the symptoms
 of indigestion, incurable mania,
 a kind of hectic fever, pains sim-
 ilar to those of rheumatism, & now
 of a scrophulous nature, & particu-
 larly a peculiar eruption, which
 has attracted considerable attention
 in Europe of late years; differently
 styled by the different authors who
 have treated on the subject. a disease
 which very seldom occurs in this
 country from the above cause.

Mercury as before stated, like
 most of our valuable remedies
 when pushed beyond a certain

about
permanence
pages
as to
influence
of the
any other
believe

The two
feels in
course,
has now
long for
related
the 1st
second
action
The me
on the
have n

extent, frequently becomes highly
 poisonous; but that it can be ma-
 naged when judiciously directed
 so as to exert a more powerful
 influence, & that influence too
 of the most salutary kind, than
 any other article we possess, is I
 believe generally admitted.

The treatment for the morbid ef-
 fects, arising from a mercurial
 course, in which the medicine
 has been too freely used, or too
 long persevered in, may be di-
 vided into two parts; first, when
 the system has been surcharged;
 second, that state of the consti-
 tution immediately succeeding
 the mercurial excitement.
 In the former we, unfortunately
 have no corrective, that can

at the
the light
- 14th
have been
return
proposed
of the
quadrant
and the
and the
at the
and the
the
claim
return
return
of the
proposed to
exchange,
proposed

at air is used as an anodyne,
 the different preparations of sulphur
 & particularly sulphureous water,
 have been recommended; the prepa-
 rations of lead have of late been
 proposed, now the marked effects
 of the latter article being more
 quickly relieved by mercury, than
 any thing else. The patient how-
 ever should lie best on a low
 bed his bowels should be kept
 open with sulphur & rhubarb
 or some other laxative, and
 opium be given with a view of
 relieving pain, & that peculiar
 inveterate attending the same
 patient, he should also be ex-
 posed to cool air & take moderate
 exercise, many gargles have been
 proposed, when the mouth is much

with
most other
the slow
which me-
as well
again, &
of genera-
in nature
able to
follow
have been
normal
more in-
less than
on the
sequence

affected, keeping that part clean
 with cool water is, I believe as
 good as any of them. As for the
 same stage, it is to be managed
 under ordinary circumstances, like
 most other states of debility; & as
 the stomach particularly suffers,
 such medicines should be selected
 as will increase the tone of that
 organ, & improve the appetite; which
 is generally very much impaired.
 In answer which, many of the regi-
 -table tonics, the various prepa-
 rations of iron, & the mineral acids
 have been advised. I have seen in
 several cases, where the system has
 very well recovered, & is
 was hindered by a torpid state
 of the bowels, connected with a
 similar condition of the liver.

Notice
advice, &
such
satisfac
- due time
Wodona
at the
Oxatun
Notice
not any
stomach
put in
it is a
in the
in the
from
of 1840
shown,
the
of the

which first began had to all appearance some secretory bile; under such circumstances, the golden scripture of intemperance, was far from destructive of the very best objects immediately exciting the sense, & at the same time procuring gentle laxation.

It is interesting to see the many toxic
and dysfunctions in the nervous
system, or mercury, the sub-
ject is still very obscure; that
it is absorbed into the circulation
is well known, from various
conditions of the system arising
from its extinction; such as the
appearance of the ~~first~~ ^{first} ~~derivation~~
shown, from a mercurialized patient,
the relation of it in several parts
of the body, the extinction of it

The me-
construc-
the sec-
ation
ation
in them
the me-
on an
ment
app. is
the key
process
There I
peculiar
may be
m. to
is a
much
would

The skin & some of the
 the mercurial impression being
 communicated from the mother to
 the sucking infant. Its local
 action is derived from its pur-
 gative & emetic qualities, as well
 as many other. Its action upon
 the nervous system is equally
 evident. I believe it to be the
 most permanent stimulus we pos-
 sess, & I would ask whether is not
 the high reputation it has ac-
 quired in the management of
 those violent & rapid affections
 peculiar to tropical climates,
 may be, in a great measure owing
 to this quality.

To enumerate the diseases in
 which mercury has been employed
 would be to repeat the whole

11.5.10
 15.10
 16.10
 17.10
 18.10
 19.10
 20.10
 21.10
 22.10
 23.10
 24.10
 25.10
 26.10
 27.10
 28.10
 29.10
 30.10
 31.10
 1.11
 2.11
 3.11
 4.11
 5.11
 6.11
 7.11
 8.11
 9.11
 10.11
 11.11
 12.11
 13.11
 14.11
 15.11
 16.11
 17.11
 18.11
 19.11
 20.11
 21.11
 22.11
 23.11
 24.11
 25.11
 26.11
 27.11
 28.11
 29.11
 30.11
 1.12
 2.12
 3.12
 4.12
 5.12
 6.12
 7.12
 8.12
 9.12
 10.12
 11.12
 12.12
 13.12
 14.12
 15.12
 16.12
 17.12
 18.12
 19.12
 20.12
 21.12
 22.12
 23.12
 24.12
 25.12
 26.12
 27.12
 28.12
 29.12
 30.12
 31.12

nosology from beginning to end.
 Its influence in subduing the
 syphilitic virus has held un-
 disputed sway, for a long time;
 & every attempt to cure that
 disease at the present day, with-
 out mercury, is looked upon
 by the most enlightened physicians
 as jeopardising the life of the
 patient. It is equally dangerous
 in the diseases of that im-
 portant viscus the liver, as also
 all the abdominal viscera.
 Cases of tubercular consumption
 are recorded to have been cured
 by mercury, but the presumption
 is, that the lungs in such cases
 were only sympathetically af-
 fected, from a morbid state of
 the stomach, liver, spleen &c, or

1. Mar. 1891
 2. Mar. 1891
 3. Mar. 1891
 4. Mar. 1891
 5. Mar. 1891
 6. Mar. 1891
 7. Mar. 1891
 8. Mar. 1891
 9. Mar. 1891
 10. Mar. 1891
 11. Mar. 1891
 12. Mar. 1891
 13. Mar. 1891
 14. Mar. 1891
 15. Mar. 1891
 16. Mar. 1891
 17. Mar. 1891
 18. Mar. 1891
 19. Mar. 1891
 20. Mar. 1891
 21. Mar. 1891
 22. Mar. 1891
 23. Mar. 1891
 24. Mar. 1891
 25. Mar. 1891
 26. Mar. 1891
 27. Mar. 1891
 28. Mar. 1891
 29. Mar. 1891
 30. Mar. 1891
 31. Mar. 1891
 32. Mar. 1891
 33. Mar. 1891
 34. Mar. 1891
 35. Mar. 1891
 36. Mar. 1891
 37. Mar. 1891
 38. Mar. 1891
 39. Mar. 1891
 40. Mar. 1891
 41. Mar. 1891
 42. Mar. 1891
 43. Mar. 1891
 44. Mar. 1891
 45. Mar. 1891
 46. Mar. 1891
 47. Mar. 1891
 48. Mar. 1891
 49. Mar. 1891
 50. Mar. 1891
 51. Mar. 1891
 52. Mar. 1891
 53. Mar. 1891
 54. Mar. 1891
 55. Mar. 1891
 56. Mar. 1891
 57. Mar. 1891
 58. Mar. 1891
 59. Mar. 1891
 60. Mar. 1891
 61. Mar. 1891
 62. Mar. 1891
 63. Mar. 1891
 64. Mar. 1891
 65. Mar. 1891
 66. Mar. 1891
 67. Mar. 1891
 68. Mar. 1891
 69. Mar. 1891
 70. Mar. 1891
 71. Mar. 1891
 72. Mar. 1891
 73. Mar. 1891
 74. Mar. 1891
 75. Mar. 1891
 76. Mar. 1891
 77. Mar. 1891
 78. Mar. 1891
 79. Mar. 1891
 80. Mar. 1891
 81. Mar. 1891
 82. Mar. 1891
 83. Mar. 1891
 84. Mar. 1891
 85. Mar. 1891
 86. Mar. 1891
 87. Mar. 1891
 88. Mar. 1891
 89. Mar. 1891
 90. Mar. 1891
 91. Mar. 1891
 92. Mar. 1891
 93. Mar. 1891
 94. Mar. 1891
 95. Mar. 1891
 96. Mar. 1891
 97. Mar. 1891
 98. Mar. 1891
 99. Mar. 1891
 100. Mar. 1891

that they were cases of chronic bronchitis; as it is very questionable whether genuine tubercular consumption was ever cured by any means.

Mercury for a long time was confined nearly exclusively to chronic complaints, but of late years its reputation in the management of acute affections has advanced at a very rapid pace, & in fact has superseded all other plans of treatment in several of the latter.

Dr Hamilton of Edinburgh has laid down a set of rules, to be observed while undergoing a mercurial course; which are important, & should be attended to; when the circumstances are

[illegible]

solution of the reason will not
 out of it, but it very frequent
 it so happens, particularly in
 the country, that we find it
 impracticable to subject per-
 sons regarding the remedy to
 such instructions, it is for this
 reason in such cases that but
 little encouragement generally
 allows the disregarding of many
 of his rules. There are however
 several of them, which should
 never be omitted; viz, if the pa-
 tient be robust & ~~phlegmatic~~, he
 should lose a considerable quan-
 tity of blood & take a cooling
 purgative, before commencing the
 course; & during its continuance
 should particularly guard
 against taking cold; live on a

Your
 is still
 reduced
 reduced
 is the
 ed
 to me
 the cost
 infra
 than
 Bil
 turned
 of one
 general
 in the
 The
 assist
 my,
 me in

low diet, & abstain from all kinds of stimulating food & drink. The medicine should be gradually introduced, & discontinued as soon as the stomach is restored, & afterwards resumed if necessary, rather than, render the constitution liable to be impaired by a surcharge.

Having its exhibition if the Point of Body be above the natural standard at any time, ^{where it} should be resorted to if on the other hand debility prevails, opium, wine, the peruvian bark &c. are to be used.

The system ~~unreasonably~~ offers a resistance to the operation of mercury, when neither of the above are in a great degree present;

under
because
there
the ad
That
of M
been
years
great
the p
a com
the T
disca
the of
piece
tent p
fan
Men
in its
ha

under such circumstances, the warm bath, & particularly nauseating doses of antimony are advised. I may here remark that my preceptor, Dr Harrison of Martinsburg, Virginia, has been long, for a number of years, in the habit, & with very great advantage, of combining the pulvis antimonialis with calomel in active doses, in the treatment of almost every disease, which required the use of this latter article; especially in bilious & intermittent fevers, croup, cholera infantum, worms, & dysentery.

Mercury as before mentioned in its metallic state is inert, it has however heretofore been

mate
the
into
and
ent
varied
have
the
first
the
the
the
the
The
The
me
as
with
the
gentle
is
Here
the

a great deal employed, in water constitutions with a view to opening a passage by its gravity; the practice, I believe is but little pursued at the present day, therefore a great variety of chemical preparations have been devised: among which the following are the most important, the two black oxygens, the protochloride, the perchloride, the nitric oxide, the phosphat. & the red sulphuret.

The blue pile, in which the metal is partially combined with oxygen, is one of its most preparations; & where a gentle & mercurial impression is desired is generally preferred to any other; it will however

usual
in 30
The
had
been
the
me.
sira
in a
some
for 4
house
under
of 3
tance
house
sions.
most
after
laxation

operate on the bowels in general
in sufficient quantity.

The sediment, in which the me-
tal is also oxydized to a cer-
tain degree, is a highly valua-
ble form for using the medi-
cine, especially when it is de-
sirable to impregnate the system
in a very short time, or when
some facility of the primæ viæ
forbid its employment in the
usual manner, as the skin ac-
cording to Mr Hunter is much
less essential to life than the
stomach. & is also capable of
bearing much stronger impres-
sions. It is also used with the
most decided benefit, in many
affections of the skin.

Boissonade admits of a more extensive

The
specific
to the
great
riches
in this
either a
sarsaparilla
or then
seen at
8 weeks

circulation & is therefore more
 important in the practice of Syphi-
 sis than all its other functions
 taken put together either as
 a diuretic, an alterant or a
 cathartic. increases the circula-
 tion and, connecting the secretion
 & equalizing the circulation,
 where such effects are required.

The Corrine sublimate & the
 precipitate are of most importance
 to the surgeon for topical ap-
 plications. The former is however
 much recommended by some
 authors in both stages of Syphilis
 either alone, or combined with
 sarsaparilla & guaiacum. The
 latter (red precipitate) I have
 seen agree with the stomach
 & bowels, when neither calomel

[illegible]

or the blue pill would.

The phosphat is a very powerful preparation, & not unlikely when better acquainted with ^{its} ^{small} supersede many of its other combinations, in the treatment of several diseases.

The compound is at present never employed as an internal medicine, being only used for external applications, which, however, is a pity, when the medicine does not fail to cure several of the most common diseases, or when the compound may be successfully employed in the system, even internally, &c.

It is astonishing all that has been said & written on the effects of mercury, in either alleviating

1. 1. 1. 1.

5. *Ac.*

1

$$C = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

1. 1111

$$A_1 \times \dots \times A_n$$

2000

1700

1844

1

1871

1887

1944

.....

100

Lophoceros


447. 7.


14

100

f 1-600.

or aggravating the sufferings of the human family; I think it would be a difficult question to decide, whether it really has been productive of most good or evil. Thousands have doubtless been rescued from the jaws of death, by its salutary agency; & Thousands been hurried to an untimely grave, by its misapplication. But the fact of a medicine being abused, through ignorance, can be no valid objection to its employment, when in the hands of cautious and judicious men. —





[Faint, illegible handwriting on lined paper]

[Faint, illegible handwriting on the right page]